

Yealink MeetingBoard is a truly all-in-one collaboration space solution that fits all meeting rooms. It consists of a 4K camera, crystal-clear speaker, full-duplex microphones, and a 65/86 inch collaboration whiteboard to provide an immersive meeting experience and allow collaboration anytime, anywhere.

\*Yealink reserves the right of final interpretation

# Premium and Intelligent Video Experience

- provides an immersive conference environment





· Professional SONY Image Sensor

· Electronic Privacy Shutter

(first in the industry)

· 4K Built-in Camera

## Intelligent AI Features

Auto Framing | Speaker Tracking | Picture-in-Picture\* | Smart Gallery\* | Multi Framing\*

## **Auto Framing**

Auto framing recognizes the number and the positions of attendees, framing everyone smoothly in the most appropriate view even in small spaces.



Speaker tracking frames a real-time close-up on the presenter, bringing a vivid face-to-face meeting experience and ensuring attendees are well-engaged.

#### Picture-in-Picture

Based on speaker Tracking, users can switch to Picture-in-Picture (PiP) mode when starting a meeting. PiP tracks and frames the speaker in an individual window, which is separate from the other window, for a panoramic view, enabling users to keep an eye on who's talking even if the speaker is seated at a distance in a medium room.









# Premium 8m Full-Duplex Audio Experience

-as if everyone were sitting across from one another

Dedicated Al Audio DSP

W/W

8m Full-Duplex Audio

Built-in 16 Beamforming Microphone Arrays

Enhanced Al Noise Proof

Reverberation Suppression

Wireless Expansion Mics for Larger Spaces



4+2 Stereo Speakers



Supports Stereo Audio



High Fidelity Sound Quality



Wide Range of Sound Coverage



Industry Acoustic Fabric Design







## **Smart Collaboration Whiteboard**

- keep everyone connected and collaborative

4K visual presentation and easy menu navigation Smart 4-level input digital ink recognition



Fingers Pen tip navigating writing




Tail end Palm erasing rejection







o Note e



Collaborate on diagrams - productive templates and the other crucial components



Cloud application — allows everyone to join and collaborate at any place

# Designed with Simplicity and The Beauty of Details in Mind

-adds elegance and turns all your rooms into a collaborative workspace.

The MeetingBoard is completely encased in a metallic material. This enhances the texture, extends the product's service life, and is more environmentally friendly.

Choose between the movable floor stand, sculpted like the legs of a ballet dancer, or the wall mount.

4 universal casters allow you to move the Meeting-Board around easily.

Thanks to the single-cable setup, you can get started within minutes.









**Executive Office** 



Co-Create Space




Conference Room



Large Training Room

# Full Device Ecosystem

-brings immeasurable usage possibilities to the MeetingBoard



## Modularized Dual OS System

- · Upgradeable Android OPS Module
- · Windows OPS Module

- Seamless Switching Between Windows/Android Platforms or BYOD Mode

## **BYOD Mode**

- · plug-and-play
- · adapt more
- · collaborate effectively





WPP30



# Fit to All Rooms

make everywherea collaborative workplace


Touch Console



Wireless Expansion Microphones



Extensible in A Medium or Large Meeting Space



#### Movable Floor Stand



RoomPanel



## RoomSensor



## MeetingBoard Specifications

#### Display

- · 65-inch D-LED touch screen
- · Ultra HD 4K (3840 x 2160 screen resolution)
- · Anti-glare and anti-finger print coating
- · Contrast ratio 1200:1(typ.)
- · Viewing angle 178°(H) / 178°(V)
- · Ratio 16:9
- · Refreshing Frequency 60Hz
- · Touch Points 20 points
- · Location Accuracy ±1mm(over 90% Area)
- · Contact Height < 2mm

#### Built-in Camera

- · 8MP Sony sensor
- · 120° Diagonal field of vie w
- · 4x e-PTZ
- · Electric privacy shutter
- · Supports PTZ camera module (optional) to build an intelligent dual-cam system\*
- · Intelligence Features
- Auto Framing
- Speaker Tracking

#### Audio

- · Built-in 16 MEMS Mic Arr ay
- · 4 full range+2 tweeter stereo speakers
- · Support RCA input/output
- · Yealink Enhanced Noise Proof Technology
- · Acoustic Echo Cancellation
- · Reverberation Suppression
- · Auto Gain Control
- · Beamforming Technology
- · CNG/PLC/AJB/De-Rerb

#### Operating System

· Android 10

#### Video Standard

· Video codecs: H.264 High profile, H.264 SVC.H.264

#### **Buttons**

- · LED lightstrips
- · Home button
- · Input source button
- · Volume up/down button

#### Microsoft Teams Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add par ticipates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up
- Microsoft Teams Admin Center
- Proximity join

#### Network and Secur ity Features

- · IPv4 and IPv6. DHCP/static IP
- · HTTP/HTTPS web server
- · SRTP/TLS, AES 256-bit encryption
- · QoS: 802.1p/q, Diff-ser v
- · VLAN, LLDP
- · IEEE802.1X
- EAP-MD5/EAP-TLS
- PEAP-MSCHAPv2
- EAP-TTLS/EAP-MSCHAPv2
- · Network diagnosis: Ping, Trace route
- · Time and date synchronization using SNT
- Built-in certificate
- Simple Cer tificate Enrollment Protocol (SCEP)

#### Connections

- ·1 x detachable PTZ camera por t
- ·1x HDMI output (CEC supported)
- ·1 x HDMI input (only f or source input)
- · 2 x RCA audio input
- · 2 x RCA audio output
- ·1 x Yealink VCH por t (RJ-45)
- · 3 x USB Type A
- $\cdot$ 1 x 10/100M/1000M Ether net por t
- ·1x Power por t
- ·1x Windows OPS slot
- ·1x Secur ity lock slot
- ·1x Reset slot
- · Motion sensor
- · WiFi6 2x2 MIMO dual-band
- · Built-in Bluetooth 5.0
- · NFC suppor ted

#### Optional Accessories

- · MB-CAM-6X module\*
- · MB-CAM-12X module\*
- · VCM36-W wireless microphone\*
- · WPP30 wireless shar ing &BYOD dongle\*
- · Windows OPS module\*

#### Other Physical Features

- · Storage: built-in 64 GB (Available: 40G)
- · Power Adapter: AC 100~240V input
- · USB Output: 5V 0.5A
- · Power consumption (PSU)
- -Idle < 10W
- -Normal operating: 10.5W
- -MAX: 14W
- Dimension (W.D.H)
- -Wall mount: 1512mm x 953mm x 92mm
- -Floor stand: 1512mm x 1885mm x 720mm
- · Operating humidity: 10~95%
- · Operating temperature: 0~40°C
- · Storage temperature: -30~70°C

#### Package Features

- Package contents
- MeetingBoard 65 endpoint
- 3m Ether net cable
- 3m Power cable
- -1 x 1.8m HDMI cab le
- 4 x Stylus pen
- Mounting Bracket and Accessor ies
- Quick Star t Guide
- · N.W/CTN: 51 kg
- · G.W/CTN: 65.7 kg
- · Carton Meas
- MeetingBoard: 1660mm x 1075mm x 280mm
- Floor stand (optional) : 1225mm x 743mm x148mm

#### Compliance











REACH ISO 9001









<sup>\*</sup> Features and accessories coming soon