


Display V4

SPECIFICATIONS

SKU	CBD43A8	CBD55A8	CBD65A8	CBD75A8	CBD86A8	CBD98A8
Model	Display V4 43"	Display V4 55"	Display V4 65"	Display V4 75"	Display V4 86"	Display V4 98"
DISPLAY						
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9
Brightness	350cd/m ²	350cd/m ²	400cd/m ²	450cd/m ²	450cd/m ²	500cd/m ²
Panel Technology	D-LED	D-LED	D-LED	D-LED	D-LED	D-LED
Native Resolution	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)
Refreshing Freq.	60Hz	60Hz	60Hz	60Hz	60Hz	120Hz
Viewing Angle	178 degrees	178 degrees	178 degrees	178 degrees	178 degrees	178 degrees
Lifetime	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
Orientation	Landscape & Portrait	Landscape & Portrait	Landscape & Portrait	Landscape & Portrait	Landscape & Portrait	Landscape & Portrait
CONNECTIVITY						
HDMI In	1	1	1	1	1	1
DP In	1	1	1	1	1	1
VGA In	1	1	1	1	1	1
DVI-D	1	1	1	1	1	1
BNC In	1	1	1	1	1	1
Audio In	1	1	1	1	1	1
LAN In	1	1	1	1	1	1
USB 2.0 In	2	2	2	2	2	2
OPS Slot	0	0	1	1	1	1
RS232	1	1	1	1	1	1
Audio Out	1	1	1	1	1	1
SPDIF	1	1	1	1	1	1
ENVIRONMENTAL CONDITIONS						
Operation Temp.	0 to 40 degrees	0 to 40 degrees	0 to 40 degrees	0 to 40 degrees	0 to 40 degrees	0 to 40 degrees
Operation Humidity	20 - 85%	20 - 85%	20 - 85%	20 - 85%	20 - 85%	20 - 85%



Display V4

SPECIFICATIONS

SKU	CBD43A8	CBD55A8	CBD65A8	CBD75A8	CBD86A8	CBD98A8
Model	Display V4 43"	Display V4 55"	Display V4 65"	Display V4 75"	Display V4 86"	Display V4 98"
POWER						
Power Supply	240V	240V	240V	240V	240V	240V
Power Consumption - Typical	≤85 W	≤85 W	≤85 W	≤85 W	≤85 W	≤85 W
Power Consumption - Standby	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W
Audio Output Power	2x15W	2x15W	2x15W	2x15W	2x15W	2x15W
OPERATING SYSTEM						
Software	Android 8	Android 8	Android 8	Android 8	Android 8	Android 8
RAM	2GB	2GB	2GB	2GB	2GB	2GB
Storage	16GB	16GB	16GB	16GB	16GB	16GB
Processor	1.5GHz Quad Core ARM A73+A53	1.5GHz Quad Core ARM A73+A53	1.5GHz Quad Core ARM A73+A53	1.5GHz Quad Core ARM A73+A53	1.5GHz Quad Core ARM A73+A53	1.5GHz Quad Core ARM A73+A53
GPU	MaliG51	MaliG51	MaliG51	MaliG51	MaliG51	MaliG51
PHYSICAL						
Bezel	Black	Black	Black	Black	Black	Black
Bezel Width	13mm	13.9mm	23.1mm	19.4mm	19.4mm	21.5mm
Dimensions	969.9(W) x 84.6(D) x 558.3 (H)mm	1243.2(W) x 74.8(D) x 714(H)mm	1476.7 (W) x 79.8 (D) x 851.7 (H)mm	1692.5 (W) x 79.6 (D) x 970.7 (H)mm	1937.8 (W) x 79.6(D) x 1108.8 (H)mm	2204.85 (W) x 101.7 (D) x 1260.35 (H)mm
Weight	12.5kg	17.5kg	31.5kg	42kg	58.5kg	80kg
VESA Mount	400 x 200	400 x 400	600 x 400	800 x 400	800 x 600	800 x 600
Packed Dimensions	1070(W) x 153(D) x 663(H)mm	1364 (W) x 154 (D) x 824 (H)mm	1660 (W) x 245 (D) x 1045 (H)mm	1880 (W) x 245 (D) x 1125 (H)mm	2125 (W) x 275 (D) x 1275 (H)mm	2525 (W) x 435 (D) x 1750 (H)mm
Packed Weight	16kg	22.5kg	42.5kg	52kg	78.5kg	132.8kg



Display V4

SPECIFICATIONS

SKU	CBD43A8	CBD55A8	CBD65A8	CBD75A8	CBD86A8	CBD98A8
Model	Display V4 43"	Display V4 55"	Display V4 65"	Display V4 75"	Display V4 86"	Display V4 98"

WHAT'S IN THE BOX

Built In	Wifi 5 Browser - Chrome Training CommBox Store CommBox Connect powered by Airserver or EShare CommBox Signage available from the CommBox Store CommBox Manage - Optional 7 year licence (to be purchased separately)
----------	--

Accessories	2 x AAA Batteries 1 x Remote 1 x Powercord (1.5M for 43", 3M for all other screen sizes) 1 x 3M HDMI Cable 1 x Wall Mount**
-------------	---

COMMBOX EXPERIENCE

Warranty	5 Year Warranty
Support	Same business day help desk support

** NOTE: 43" and 55" wall mount brackets are keyhole type, 65" and above are standard VESA wall brackets

 [Request Quote or Demo](#)