
## **OWL LABS**°



## **OWL LABS**°

## IN ROOM EXPERIENCE

# More natural and effective hybrid collaboration

Our multi-camera video conferencing solution captures the room from front and centre to frame in-room speakers head-on for more effective hybrid collaboration.



#### **Remote View**

- 360-degree view of the room
- Seamless automatic cameraswitching



Intelligent speakerframing and autofocus

The first Al-powered multi-camera meeting experience in-market

**Learn More** 

## **Owl Bar Specifications**

#### **OVERVIEW**



General	USAGE	Certifications and Compatibility
Built-in components: 4 beamforming microphones, digital pantilt-zoom camera, 1 speaker, The Nest device management platform. Table stand/wall mounting included.	Owl Intelligence System™: Powered by the OIS™ using AI computer vision and movement and voice cues to automatically focus on active speakers	Device Pairing: Wirelessly pairs with one Meeting Owl (3 or Pro), or one Meeting Owl and one Whiteboard Owl, in the same meeting space
Enclosure: All-in-one enclosure with integrated table stand/wall mount  Device Management: The Nest  Displays Supported: 2  Display Resolution: Up to 4K  Processor: Qualcomm 8250	Wireless Pairing: Wireless pairing with the Meeting Owl and the Whiteboard Owl supported  Speaker Framing: Automatic digital PTZ to correctly frame in-room participants based on where they're seated  Camera Switching: Intelligent camera switching between the Owl Bar and the Meeting Owl to show the best view of the room for remote participants	VC Platforms: All web-based video conferencing platforms, including Zoom, Microsoft Teams, Google Meet, Slack and others  VC Certifications: Microsoft Teams and Zoom certifications coming by end of 2023  USB Mode: Plug and Play to work with host or in-room computer

#### **TECHNICAL SPECIFICATIONS**

Camera	Speakers and Microphones	Interfaces and Power
Resolution: 4K Camera: 30 MP Horizontal FOV: 114° Vertical FOV: 73°	Pickup Range: 5.5 m  Beamforming Elements: 4 omnidirectional microphones  Add-on Mics: Option to connect one Expansion Mic when paired with Meeting Owl 3  Speakers: 1 high-fidelity speaker  Audio Processing and Noise Suppression: OIS  Output: 82 dBSPL at 1 m	HDMI Out (#): 2*  HDMI In (#): 1*  USB Type: USB 3.0: 1x Type C, 1x Type A  Network: 10/100/1000 Ethernet; 2.4GHz and 5.0 GHz WiFi  * Reserved for future use

#### Management

Setup and What's in the Box	Environmental	Security and Warranty
What's in the box:  Owl Bar USB Cable Table/Wall Mount Mounting hardware Power Supply DC Cable AC Cable User documentation Mounting Options: Included mounting hardware enables tabletop setup or wall mounting Option to purchase Owl Bar TV Mount for hanging below in-room TV	Operating Temperature: 0° to 35° C Storage Temperature: -20° to 60° C Humidity: 10% to 90% Operating Voltage/Power: 19V	Secure Boot Processes enabled  Communication Ports: Locked down; only allowed to communicate with secure protocols  Owl Labs Security Details  Standard: 2-year limited hardware warranty included  Owl Care: 3-year limited hardware warranty, white glove onboarding support, and one no-questions-asked device replacement